



# LIFT TABLES

Lift tables raise and lower products for applications involving work at multiple heights, like truck loading. Their sturdy design allows them to lift weights up to 20 tons with ease. In addition to their strength, each lift table comes with crucial safety features and offer a wide range of custom enhancements.

Carney Fabricating supplies pneumatic and hydraulic lift tables are offered as stationary or portable units. The lift tables can be designed to be electrically or manually operated, fabricated from mild steel or galvanized steel, and powder coated with food grade epoxy.

## GET IN TOUCH

info@carneyfabricating.com  
www.carneyfabricating.com

Tel: 1.905.564.0303  
Toll free: 1.866.THE.BULL

2A - 14 Reagan Road  
Brampton Ontario L7A 1B9

# Lift Tables

Designed & engineered to be fully-customized, meet the demand with a ergonomic lift-table specific to your operation.

## Efficiently Engineered

---

Ideal for manipulating material into more ergonomic positions and engineered to reduce risk of injury for employees, our lift tables remove the need for repetitive movements.

Carney Fabricating's Lift Tables increase productivity and safety, equipped with built in safety controls that prevent lift table free fall in the event of a hydraulic failure and designed with a capacities of up to 40,000 lbs to lift all sorts of products including: construction supplies, mechanical parts and product packages.

## Key Features

---

- Capacities range from 500 lbs to 40,000 lbs
- Ideal for elevating material into more ergonomic positions
- Increase productivity and safety
- Reduce risk of injury for employees by removing repetitive movements
- Suitable for various industries and facilities including garages, loading bays and construction sites
- Option to incorporate a rotating or tilting platform for single sided ergonomic loading
- Guard Rails
- Electric Interlock
- Up-rated Motors
- Lifting Eyes
- Loading Flaps
- Gates Key Locks

## Product Options

- Available in a variety of capacities
- Options for additional safety features
- Available in a variety of platform sizes
- Provided as a stationary or portable unit
- Hydraulic, mobile, tilting, rotating or heavy duty designs
- Ergonomic functions, including lifting, low-profile or ground-entry
- Dynamic customizations to suit a variety of industrial applications
- Available in a variety of colours or custom colour selection
- Range of power sources including: electric over hydraulic, electric over pneumatic, electric (D.C. 110V, 220V, 480V, 575V), pneumatic.



Carney Fabricating pneumatic lift table - powder coated in yellow.



Pneumatic system installed on the above lift table.



Lift table platforms can include conveyor or ball transfer tops, grooves to fit products, flanges for bolting and work holding devices for applications where a product on a line needs to be viewed at a different angle.

### LIFT TABLE HIGHLIGHTS

- Easy reach work stations
- Reduce working fatigue
- Eliminate lifting, bending and stooping for parts
- Increase productivity

# Product Specs



| PRODUCT SPECIFICATIONS |         |
|------------------------|---------|
| Maximum Lift Capacity  | 20 Tons |
| Custom Units Available |         |

# Product Specs

| CAPACITY(Tons) | MODEL            | POWER         | LWR'D | RAISED | PLT SIZE | SHIP WEIGHT |
|----------------|------------------|---------------|-------|--------|----------|-------------|
| 1/2            | CF-LT1KET-12-24  | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 375         |
|                | CF-LT1KET-24-24  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 534         |
|                | CF-LT1KET-24-36  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 693         |
|                | CF-LT1KET-36-36  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 852         |
|                | CF-LT1KET-36-48  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 48  | 1011        |
|                | CF-LT1KET-48-48  | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1170        |
| 1              | CF-LT2KET-12-24  | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 450         |
|                | CF-LT2KET-24-24  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 600         |
|                | CF-LT2KET-24-36  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 725         |
|                | CF-LT2KET-36-36  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 867         |
|                | CF-LT2KET-36-48  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 48  | 1044        |
|                | CF-LT2KET-48-48  | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1287        |
| 2              | CF-LT4KET-12-24  | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 590         |
|                | CF-LT4KET-24-24  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 740         |
|                | CF-LT4KET-24-36  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 890         |
|                | CF-LT4KET-36-36  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 1040        |
|                | CF-LT4KET-36-48  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 48  | 1190        |
|                | CF-LT4KET-48-48  | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1340        |
| 3              | CF-LT6KET-12-24  | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 660         |
|                | CF-LT6KET-24-24  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 840         |
|                | CF-LT6KET-24-36  | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 1020        |
|                | CF-LT6KET-36-36  | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 1200        |
|                | CF-LT6KET-36-48  | 110V/1PH/60H  | 6"    | 30"    | 36 x 48  | 1380        |
|                | CF-LT6KET-48-48  | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1560        |
| 5              | CF-LT10KET-12-24 | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 691         |
|                | CF-LT10KET-24-24 | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 824         |
|                | CF-LT10KET-24-36 | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 957         |
|                | CF-LT10KET-36-36 | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 1090        |
|                | CF-LT10KET-36-48 | 110V/1PH/60HZ | 6"    | 30"    | 36 x 48  | 1223        |
|                | CF-LT10KET-48-48 | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1356        |
| 6              | CF-LT12KET-12-24 | 110V/1PH/60HZ | 6"    | 30"    | 12 x 24  | 831         |
|                | CF-LT12KET-24-24 | 110V/1PH/60HZ | 6"    | 30"    | 24 x 24  | 982         |
|                | CF-LT12KET-24-36 | 110V/1PH/60HZ | 6"    | 30"    | 24 x 36  | 1133        |
|                | CF-LT12KET-36-36 | 110V/1PH/60HZ | 6"    | 30"    | 36 x 36  | 1284        |
|                | CF-LT12KET-36-48 | 110V/1PH/60HZ | 6"    | 30"    | 36 x 48  | 1435        |
|                | CF-LT12KET-48-48 | 110V/1PH/60HZ | 6"    | 30"    | 48 x 48  | 1586        |

## GET IN TOUCH

info@carneyfabricating.com  
www.carneyfabricating.com

Tel: 1.905.564.0303  
Toll free: 1.866.THE.BULL

2A - 14 Reagan Road  
Brampton Ontario L7A 1B9

*Due to continuous product improvements, specifications are subject to change without notice. Some systems and features shown may be optional at extra cost.*